

**Relevant Extracts of Town Planning Board Guidelines on  
Application for Open Storage and Port Back-up Uses  
(TPB PG-No.13E)**

1. On 17.10.2008, the Town Planning Board Guidelines for Application for Open Storage and Port Back-up Uses under Section 16 of the Town Planning Ordinance (TPB PG-No. 13E) were promulgated, which set out the following criteria for the various categories of area:
  - (a) Category 1 areas: favourable consideration will normally be given to applications within these areas, subject to no major adverse departmental comments and local objections, or the concerns of the departments and local residents can be addressed through the implementation of approval conditions. Technical assessments should be submitted if the proposed uses may cause significant environmental and traffic concerns;
  - (b) Category 2 areas: planning permission could be granted on a temporary basis up to a maximum period of 3 years, subject to no adverse departmental comments and local objections, or the concerns of the departments and local residents can be addressed through the implementation of approval conditions. Technical assessments, where appropriate, should be submitted to demonstrate that the proposed uses would not have adverse drainage, traffic, visual, landscaping and environmental impacts on the surrounding areas;
  - (c) Category 3 areas: applications would normally not be favourably considered unless the applications are on sites with previous planning approvals. Sympathetic consideration may be given if the applicants have demonstrated genuine efforts in compliance with approval conditions of the previous planning applications and included in the fresh applications relevant technical assessments/proposals to demonstrate that the proposed uses would not generate adverse drainage, traffic, visual, landscaping and environmental impacts on the surrounding areas. Planning permission could be granted on a temporary basis up to a maximum period of 3 years, subject to no adverse departmental comments and local objections, or the concerns of the departments and local residents can be addressed through the implementation of approval conditions; and
  - (d) Category 4 areas: applications would normally be rejected except under exceptional circumstances. For applications on sites with previous planning approvals, and subject to no adverse departmental comments and local objections, sympathetic consideration may be given if the applicants have demonstrated genuine efforts in compliance with approval conditions of the previous planning applications and included in the applications relevant technical assessments/proposals to demonstrate that the proposed uses would not generate adverse drainage, traffic, visual, landscaping and environmental impacts on the surrounding areas. The intention is however to encourage the phasing out of such non-conforming uses as early as possible. A maximum period of 2 years may be allowed upon renewal of planning permission for an applicant to identify suitable sites for relocation. No further renewal of approval will be given unless under very exceptional circumstances and each application for renewal of approval will be assessed on its individual merit.

2. In assessing applications for open storage and port back-up uses, the other major relevant assessment criteria are also summarized as follows:
- (a) there will be a general presumption against development on sites of less than 1,000m<sup>2</sup> for open storage uses and 2,000m<sup>2</sup> for port back-up uses in rural areas, other than sites located in major corridors, industrial/godown/workshop areas, quarrying activities or where it is demonstrated that optimum use is made of the site. This is to prevent the further proliferation of small sites in rural areas, minimizing sprawl over countryside areas and reducing travel trips;
  - (b) port back-up sites and those types of open storage uses generating adverse noise, air pollution and visual intrusion and frequent heavy vehicle traffic should not be located adjacent to sensitive receivers such as residential dwellings, hospitals, schools and other community facilities;
  - (c) port back-up uses are major generators of traffic, with container trailer/tractor parks generating the highest traffic per unit area. In general, port back-up sites should have good access to the strategic road network, or be accessed by means of purpose built roads;
  - (d) adequate screening of the sites through landscaping and/or fencing should be provided where sites are located adjacent to public roads or are visible from surrounding residential areas;
  - (e) there is a general presumption against conversion of agricultural land and fish ponds to other uses on an ad hoc basis, particularly in flood prone areas or sites which would obstruct natural drainage channels and overland flow; and
  - (f) for applications involving sites with previous planning approvals, should there be no evidence to demonstrate that the applicants have made any genuine effort to comply with the approval conditions of the previous planning applications, planning permission may be refused, or a shorter compliance period for the approval conditions may be imposed, notwithstanding other criteria set out in the Guidelines are complied with.


**Previous s.16 Application covering the Application Site**

**Approved Application**

	<b><u>Application No.</u></b>	<b><u>Proposed Use</u></b>	<b><u>Date of Consideration (RNTPC)</u></b>	<b><u>Approval Condition(s)</u></b>
1	A/YL-KTN/534	Proposed Temporary Open Storage of Tail Lift for a Period of 3 Years	26.8.2016	(1), (2), (3), (4), (5), (6), (7)

**Approval Conditions:**

- (1) restriction no operation hours/time
- (2) no dismantling, maintenance, repairing, cleansing, paint spraying and other industrial/workshop activities
- (3) no stacking of materials above the height of the peripheral fencing
- (4) submission and implementation/maintenance of drainage proposals/facilities/submission of the record of existing drainage facilities
- (5) submission and implementation of landscape proposal/maintenance of landscape facilities/implementation of replacement tree planting
- (6) submission and implementation of fire service installations proposal/provision of fire extinguisher/ implementation of the accepted fire service installations proposal
- (7) revocation of approval if any planning conditions are not complied with during planning approval or by specified dates
- (8) reinstatement of the application site to an amenity area
- (9) maintenance of the existing site fencing



**Similar Applications in the same "OU(Railway Reserve)" Zone  
on Kam Tin North Outline Zoning Plan**

**Approved Applications**

<b><u>Application No.</u></b>	<b><u>Proposed Use</u></b>	<b><u>Date of Consideration (RNTPC/TPB)</u></b>	<b><u>Approval Conditions</u></b>
1. A/YL-KTN/313	Renewal of Planning Approval for Temporary Open Storage of Construction Materials for a Period of 18 Months	7.11.2008 [revoked on 23.1.2009]	1, 2, 3, 4, 5, 6, 7, 8, 9
2. A/YL-KTN/327	Temporary Open Storage of Construction Machinery, Construction Material and Cable and Ancillary Parking of Lorry and Container Trailer/Tractor for a Period of 3 Years	22.5.2009 (for 2 years)	1, 2, 4, 5, 6, 7, 8, 9, 10
3. A/YL-KTN/342	Temporary Storage of Motorcycles for Sale for 1 Year	5.3.2010	1, 2, 3, 5, 6, 7, 8, 9, 11
4. A/YL-KTN/353	Renewal of Planning Approval for Temporary Storage of Motorcycles for Sale for 1 Year	4.3.2011	1, 2, 3, 5, 6, 7, 8, 9, 11
5. A/YL-KTN/362	Renewal of Planning Approval for Temporary "Open Storage of Construction Machinery, Construction Material and Cable and Ancillary Parking of Lorry and Container Trailer/Tractor" Use for a Period of 2 Years	6.5.2011 [revoked on 22.10.2012]	1, 2, 4, 5, 6, 7, 8, 9, 10
6. A/YL-KTN/414	Temporary Open Storage of Construction Machinery, Construction Materials and Ancillary Parking of Medium/ Heavy Goods Vehicles and Container	6.9.2013 [revoked on 6.12.2014]	1, 2, 4, 5, 6, 7, 8, 9, 11, 12

<u>Application No.</u>	<u>Proposed Use</u>	<u>Date of Consideration (RNTPC/TPB)</u>	<u>Approval Conditions</u>
	Trailers/ Tractors for a Period of 2 Years		
7. A/YL-KTN/419	Proposed Temporary Open Storage of Construction Materials (Excluding Cement/ Sand/ Chemical Products/ Dangerous Goods) for a Period of 2 Years	13.12.2013 [revoked on 24.1.2014]	1, 2, 3, 5, 6, 7, 8, 9, 11
8. A/YL-KTN/425	Proposed Temporary Open Storage of Construction Materials for a Period of 3 Years	13.12.2013	1, 2, 4, 5, 6, 7, 8, 9, 11
9. A/YL-KTN/440	Proposed Temporary Open Storage of Construction Materials (Excluding Cement, Sand, Chemical Product, Dangerous Goods) for a Period of 2 Years	9.5.2014	1, 2, 3, 5, 6, 7, 8, 9, 11
10. A/YL-KTN/476	Temporary Storage of Fertiliser for a Period of 3 Years	4.9.2015 [revoked on 4.2.2018]	1, 2, 3, 5, 6, 7, 8, 9, 11, 12
11. A/YL-KTN/480	Proposed Temporary Open Storage of Construction Machinery, Construction Materials and Ancillary Parking of Medium/Heavy Goods Vehicles and Container Trailers/Tractors for a Period of 3 Years	8.1.2016 [revoked on 8.4.2017]	1, 2, 5, 6, 7, 12, 13
12. A/YL-KTN/515	Renewal of Planning Approval for Temporary Open Storage of Construction Materials (Excluding Cement, Sand, Chemical Product, Dangerous Goods) for a Period of 2 Years	18.3.2016	1, 2, 3, 5, 6, 7, 8, 9, 11, 12

<u>Application No.</u>	<u>Proposed Use</u>	<u>Date of Consideration (RNTPC/TPB)</u>	<u>Approval Conditions</u>
13. A/YL-KTN/586	Temporary Open Storage of Construction Materials for a Period of 3 Years	2.3.2018	1, 2, 4, 5, 7, 8, 9, 11, 12, 14
14. A/YL-KTN/591	Temporary Storage of Fertilizer and Food Processing Material for a Period of 3 Years	6.4.3018	1, 2, 5, 6, 7, 8, 9, 11, 12
15. A/YL-KTN/632	Temporary Open Storage of Construction Machinery, Construction Materials and Ancillary Parking of Medium/Heavy Goods Vehicles and Container Trailers/Tractors for a Period of 3 Years	20.9.2019	1, 2, 5, 6, 7, 8, 11, 12
16. A/YL-KTN/653	Temporary Open Storage of Construction Materials (Excluding Soil, Cement, Chemical Product and Dangerous Goods) for a Period of 3 Years	17.5.2019	1, 2, 3, 5, 7, 8, 12, 14

Approval Conditions:

1. restriction no operation hours/time
2. no dismantling, maintenance, repairing, cleansing, paint spraying and other industrial/workshop activities
3. no goods vehicles exceeding 5.5 tonnes/24 tonnes
4. no stacking of materials above the height of the peripheral fencing
5. submission and implementation/maintenance of drainage proposals/facilities/submission of

- the record of existing drainage facilities
6. submission and implementation of landscape proposal/maintenance of landscape facilities/implementation of replacement tree planting
  7. submission and implementation of fire service installations proposal/provision of fire extinguisher/ implementation of the accepted fire service installations proposal
  8. revocation of approval if any planning conditions are not complied with during planning approval or by specified dates
  9. reinstatement of the application site to an amenity area
  10. implementation of the environmental mitigation measures
  11. provision/ maintenance of the existing site fencing
  12. no queue back/ reversing of vehicle into or out from the site
  13. submission/implementation of tree preservation proposal
  14. maintenance of all existing trees



**Good Practice Guidelines for Open Storage Sites**

		Internal access for fire appliances	Lot boundaries (clear width)	Distance between storage cluster and temporary structure	Cluster size	Storage height
1.	Open Storage of Containers		2m	4.5m		
2.	Open Storage of non-combustibles or limited combustibles	4.5m	2m	4.5m		
3.	Open Storage of combustibles	4.5m	2m	4.5m	40m x 40m	3m

Remarks: Smoking and naked flame activities shall not be allowed within the open storage/recycling site.



**Advisory Clauses**

- (a) resolve any land issues relating to the development with the concerned owner(s) of the Site;
- (b) prior planning permission should have been obtained before commencing the development at the Site;
- (c) note DLO/YL, LandsD's comments that the Site comprises Old Schedule Agricultural Lots held under the Block Government Lease which contains the restriction that no structures are allowed to be erected without the prior approval of the Government. The Site is accessible to Fung Kat Heung Road via Government Land (GL). His office provides no maintenance works for the GL involved and does not guarantee any right-of-way over the GL to the Site. The lot(s) owner(s) will need to apply to his office to permit the structures to be erected or regularize any irregularities on-site, if any. Besides, given the proposed use is temporary in nature, only application for regularization or erection of temporary structure(s) will be considered. No construction of New Territories Exempted Building(s) will be considered or allowed. Applications for any of the above will be considered by LandsD acting in the capacity as landlord or lessor at its sole discretion and there is no guarantee that such application(s) will be approved. If such application(s) is approved, it will be subject to such terms and conditions, including among others the payment of premium or fee, as may be imposed by the LandsD;
- (d) note C for T's comments that the Site is connected to the public road network via a section of a local access road which is not managed by Transport Department (TD). The land status of the local access road should be checked with the LandsD. Moreover, the management and maintenance responsibilities of the local access road should be clarified with the relevant lands and maintenance authorities accordingly;
- (e) note CHE/NTW, HyD's comments that his department is not/shall not be responsible for the maintenance of any access connecting the Site and San Tam Road. Adequate drainage measures should be provided at the site access to prevent surface water flowing from the Site to nearby public roads or exclusive road drain;
- (f) note CE/RD2-2, RDO, HyD's comments that the Site falls within the administrative route protection boundary of the proposed Northern Link (NOL), which is a recommended railway scheme under the Railway Development Strategy 2014. Although the programme and the alignment of the proposed NOL are still under review, those areas within the administrative route protection boundary may be required to be vacated at the time for the construction of the NOL and would be subject to nuisance, such as noise and vibration, during construction of the proposed NOL. The applicant should satisfy with the surrounding condition of nuisance taking into account the future construction, operation and maintenance of NOL;
- (g) follow the relevant mitigation measures and requirements in the latest "Code of

Practice on Handling the Environmental Aspects of Temporary Uses and Open Storage Sites” to minimise any potential environmental nuisance;

- (h) note D of FS’s comments that in consideration of the design/nature of the proposal, fire service installations (FSIs) are anticipated to be required. Therefore, the applicant is advised to submit relevant layout plans incorporated with the proposed FSIs to his department for approval. The layout plans should be drawn to scale and depicted with dimensions and nature of occupancy. The location of where the proposed FSIs to be installed should be clearly marked on the layout plans. Besides, the applicant should observe the good practice guidelines for open storage site in **Appendix V** of this RNTPC paper. To address the approval condition on provision of fire extinguisher(s), the applicant should submit a valid fire certificate (FS251) to his department for approval. The applicant is reminded that if the proposed structure(s) is required to comply with the Buildings Ordinance (BO) (Cap. 123), detailed fire service requirements will be formulated upon receipt of formal submission of general building plans;
- (i) note CBS/NTW, BD’s comments that before any new building works (including containers/open sheds as temporary buildings, demolition and land filling) are to be carried out on the Site, prior approval and consent of BD should be obtained, otherwise they are Unauthorized Building Works (UBW). An Authorized Person should be appointed as the co-ordinator for the proposed building works in accordance with the BO. If the existing structures (not being a New Territories Exempted House) are erected on leased land without approval of BD, they are UBW under the BO and should not be designated for any proposed use under the application. For UBW erected on leased land, enforcement action may be taken by BD to effect their removal in accordance with BD’s enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the Site under the BO. The Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulations 5 and 41D of the Building (Planning) Regulations (B(P)R) respectively. If the Site does not abut on a specified street of not less than 4.5m wide, its permitted development intensity shall be determined under Regulation 19(3) of B(P)R at the building plan submission stage; and
- (j) note DEMS’s comments that the transmission overhead lines are running above a portion of the Site and also the Site is within the preferred working corridor of the 400kV extra high voltage overhead lines as stipulated in the Hong Kong Planning Standards and Guidelines (HKPSG). The applicant should refer to the requirements of minimum safety clearance, minimum vertical clearance and preferred working corridor of the concerned overhead lines as stipulated in Clause 2.3.5, 2.3.6 and 2.3.14 under Chapter 7 – Utility Services of the HKPSG and ensure they shall be maintained at any time during and after construction. No scaffolding, crane and hoist shall be built or operated within 6m from the outermost 400kV conductors at all times. Warning notices should be posted at conspicuous locations to remind operators and workers of the site boundary. CLP Power should be consulted on the safety precautions required for

carrying out any works near the concerned overhead lines. In any time during and after construction, CLP Power shall be allowed to get access to the working corridor area of the concerned overhead lines for carrying out any operation, maintenance and repair work including tree trimming. The Electricity Supply Lines (Protection) Regulation and the “Code of Practice on Working near Electricity Supply Lines” established under the Regulation shall be observed by the applicant and his contractors when carrying out works in the vicinity of the electricity supply lines. As regards the electric and magnetic fields arising from the transmission overhead lines, the applicant should be warned of possible undue interference to some electronic equipment in the vicinity, if any.

