

**Similar Applications within the same “REC” zone  
on the Ting Kok Outline Zoning Plan**

**Rejected Application**

<b>Application No.</b>	<b>Proposed Development</b>	<b>Date of Consideration</b>	<b>Rejection Reason</b>
A/NE-TK/670	Temporary Public Vehicle Park (Private Cars Only) for a Period of 3 Years	5.7.2019	R1

**Rejection Reason**

R1. The applicant failed to demonstrate that the proposed development would not result in adverse geotechnical impact on the Site and its surrounding areas



**Detailed Comments of Chief Engineer/Construction, Water Supplies Department (CE/C, WSD)**

- (a) if diversion is required, existing water mains within the lots are needed to be diverted outside the site boundary of the applied use to lie in Government land. A strip of land of minimum 1.5m in width should be provided for the diversion of existing water mains. The cost of diversion of existing water mains upon request will have to be borne by the applicant and the applicant shall submit all the relevant proposal to WSD for consideration and agreement before the works commence;
- (b) if diversion is not required, the following conditions shall apply:
  - (i) existing water mains are affected and no development which requires resiting of water mains will be allowed;
  - (ii) details of site formation works shall be submitted to the Director of Water Supplies for approval prior to commencement of works;
  - (iii) no structures shall be built or materials stored within 1.5m from the centre line(s) of water main(s). Free access shall be made available at all times for staff of WSD or their contractor to carry out construction, inspection, operation, maintenance and repair works;
  - (iv) no trees or shrubs with penetrating roots may be planted within the Water Works Reserve or in the vicinity of the water main(s). No change of existing site condition may be undertaken within the aforesaid area without the prior agreement of the Director of Water Supplies. Rigid root barriers may be required if the clear distance between the proposed tree and the pipe is 2.5m or less, and the barrier must extend below the invert level of the pipe;
  - (v) no planting or obstruction of any kind except turfing shall be permitted within the space of 1.5m around the cover of any valve or within a distance of 1m from any hydrant outlet; and
  - (vi) tree planting may be prohibited in the event that the Director of Water Supplies considers that there is any likelihood of damage being caused to water mains.



**Recommended Advisory Clauses**

- (a) prior planning permission should be obtained before commencing the applied use at the Site;
- (b) to note the comments of the District Lands Officer/Tai Po, Lands Department (DLO/TP, LandsD) that:
  - (i) no structure shall be erected on the application site (the Site) without prior approval from LandsD;
  - (ii) the applicant is required to submit a short term waiver (STW) application to LandsD should he wish to erect any structure on the Site. If the STW application is approved by LandsD acting in the capacity as landlord at its sole discretion, such approval will be subject to such terms and conditions as may be imposed by LandsD including the payment of waiver fee and administrative fees as considered appropriate; and
  - (iii) there is no guarantee to the grant of a right of way to the Site or approval of emergency vehicular access (EVA) thereto;
- (c) to note the comments of the Commissioner for Transport (C for T) that:
  - (i) the land status, management and maintenance responsibilities of the village access should be clarified with the relevant lands maintenance authorities accordingly in order to avoid potential land disputes; and
  - (ii) the applicant is advised that sufficient space within the Site should be provided for manoeuvring of vehicles;
- (d) to note the comments of the Director of Environmental Protection (DEP) that the applicant should follow the relevant mitigation measures and requirements in the latest “Code of Practice on Handling the Environmental Aspects of Temporary Uses and Open Storage Sites”;
- (e) to note the comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN,DSD) that:
  - (i) while there are DSD’s public stormwater drains in this area, the applicant should have its own stormwater collection and discharge system to cater for the runoff generated within the Site and overland flow from the surrounding of the Site, e.g. surface channel of sufficient size along the perimeter of the Site; sufficient openings should be provided at the bottom of the boundary wall/fence to allow surface runoff to pass through the Site if any boundary wall/fence are to be erected. Any existing flow path affected should be re-provided. The applicant should neither obstruct overland flow nor adversely affect the existing natural

streams, village drains, ditches and the adjacent areas. The applicant is required to maintain the drainage systems properly and rectify the systems if they are found to be inadequate or ineffective during operation. The applicant shall also be liable for and shall indemnify claims and demands arising out of damage or nuisance caused by failure of the systems; and

- (ii) for works to be undertaken outside the lot boundary, prior consent and agreement from LandsD and/or relevant lot owners should be sought;
  
- (f) to note the comments of the Chief Engineer/Construction, Water Supplies Department (CE/C, WSD) that existing water mains are within the lots will be affected. The applicant is required to either divert or protect the water mains found on the Site. Detailed comments are provided in **Appendix II**; and
  
- (g) to note the comments of the Director of Fire Services (D of FS) that:
  - (i) the applicant should submit relevant layout plans incorporated with the proposed fire services installations (FSIs) for approval. The layout plans should be drawn to scale and depicted with dimensions and nature of occupancy; and the locations of the proposed FSIs to be installed should be clearly marked on the layout plans; and
  
  - (ii) if the proposed structure(s) is required to comply with the Buildings Ordinance (Cap. 123), detailed fire service requirements will be formulated upon receipt of formal submission of general building plans.