

APPLICATION FOR PERMISSION
UNDER SECTION 16 OF THE TOWN PLANNING ORDINANCE

APPLICATION NO. A/YL-TYST/904

<u>Applicant</u>	: Mr. Tang Wai Kin represented by Metro Planning and Development Company Limited
<u>Site</u>	: Lots 1198 S.C (Part), 1198 S.D (Part), 1198 S.E (Part), 1198 S.G (Part), 1201 (Part), 1202 RP (Part), 1210 S.F RP (Part), 1225 (Part), 1226 (Part), 1238 (Part), 1239 (Part) and 1252 (Part) in D.D. 119, Tong Yan San Tsuen, Yuen Long, New Territories
<u>Site Area</u>	: 4,084m ² (about)
<u>Lease</u>	: Block Government Lease (demised for agricultural use)
<u>Plan</u>	: Draft Tong Yan San Tsuen Outline Zoning Plan (OZP) No. S/YL-TYST/11
<u>Zoning</u>	: “Undetermined” (“U”)
<u>Application</u>	: Temporary Open Storage and Warehouse for Storage of Furniture, Exhibition Materials, Construction Materials/Machinery and Household Detergent for a Period of 3 Years

1. The Proposal

- 1.1 The applicant seeks planning permission for temporary open storage and warehouse for storage of furniture, exhibition materials, construction materials/machinery and household detergent for a period of 3 years at the application site (the Site). According to the covering Notes of the OZP, temporary use or development of any land or buildings not exceeding a period of three years within the zones requires planning permission from the Town Planning Board (the Board) notwithstanding that the use or development is not provided for under the Notes of the OZP. The Site is currently mainly occupied for the applied use under a planning permission granted by the Rural and New Town Planning Committee (the Committee) under Application No. A/YL-TYST/751 with validity until 4.9.2018 (**Plans A-2 and A-4a to A-4b**).
- 1.2 The Site was involved in 5 previous applications (No. A/YL-TYST/213, 329, 442, 608 and 751) for warehouse uses with/without open storage (**Plan A-1b**). Details of the previous applications are at paragraph 6 and **Appendix III**. Compared with

the last application, the current application is submitted by the same applicant for the same use on a smaller site with different development parameters.

- 1.3 The Site is accessible via a local track leading from Kung Um Road to its south. According to the applicant's submission, the Site comprises eight temporary warehouse structures and open storage will take place between the two structures located at the northwest of the Site (**Drawing A-2**). The applicant proposes not to store plastic waste, electronic waste and used electrical appliances on site and not to allow access of container tractor/trailer. No repairing, dismantling and workshop activities will be carried out at the Site. The location plan with vehicular access, the layout plan, the tree preservation plan, and the as-built drainage plan submitted by the applicant are at **Drawings A-1 to A-4** respectively.
- 1.4 A comparison of the major development parameters of the previously approved application and the current application are as follows:

Major Development Parameters	Previously Approved Application No. A/YL-TYST/751 (a)	Current Application No. A/YL-TYST/904 (b)	Difference (b) – (a)
Applied Use	Temporary Open Storage and Warehouse for Storage of Furniture, Exhibition Materials, Construction Materials/ Machinery and Household Detergent for a Period of 3 Years		---
Site Area	4,390 m ²	4,084 m ²	-306 m ² (-7.0%)
Total Floor Area	2,442 m ²	1,890 m ²	-552 m ² (-22.6%)
No. of Structures and height of structures	9 (7 for storage (2.5 m - 5 m, 1 storey), 1 for storage and office (5 m, 1 storey), and 1 for latrine (2.5 m, 1 storey))	8 (for storage (5 m, 1 storey))	- 1 structure
Parking Spaces	5 (for private car and light goods vehicles)	Nil	-5
Loading/unloading Space(s)	Nil	1 (for medium/heavy goods vehicles)	+1

Operation Hours	7:00 a.m. to 7:00 p.m. with no operation on Sundays and Public Holidays	---
-----------------	---	-----

1.5 In support of the application, the applicant has submitted the following documents:

- (a) Application Form received on 6.6.2018 **(Appendix I)**
- (b) Supplementary Planning Statement **(Appendix Ia)**
- (c) Further Information dated 19.7.2018 undertaking no storage of plastic waste, electronic waste and used electrical appliances **(Appendix Ib)**

2. **Justifications from the Applicant**

The justifications put forth by the applicant in support of the application are detailed in Section 3 of the Supplementary Planning Statement (**Appendix Ia**) and Further Information at **Appendix Ib**. They can be summarized as follows:

- (a) The Site is the subject of a planning approval for the same use (No. A/YL-TYST/751), which is subject to some approval conditions. The applicant has successfully complied with all the approval conditions and such effort should be positively awarded by the Board.
- (b) The application conforms to the Town Planning Board Guidelines for “Application for Open Storage and Port Back-up Uses” (TPG PG-No.13E). Five approvals have been previously granted and the preliminary technical assessments on traffic, drainage, visual and environmental aspects have been provided to demonstrate that the applied use would not generate adverse impacts on the surrounding areas.
- (c) The Site is zoned “U” on the OZP. The proposed development is in line with the planning intention of the “U” zone which is to cater for the continuing demand for open storage uses which cannot be accommodated in conventional godown premises. Besides, there is a shortage of land for open storage use in Tong Yan San Tsuen (TYST) because the “Open Storage” (“OS”) zone is already fully occupied. As there is a pressing demand for open storage land and the subject “U” zone of TYST is considered generally satisfactory for open storage use as revealed in the Study on Port Back-up Land and Open Storage Requirements commissioned by the Government, the applicant seeks to solicit the Board to sympathetically approve the planning application.
- (d) The applied development is compatible with the surroundings in that it falls within an area mainly filled with open storage uses and warehouses. A number of planning approvals have been granted by the Board under Applications No. A/YL-TYST/741, 751, 796, 797, 798, 801, 806 and 833.
- (e) Insignificant environmental, visual, drainage and traffic impacts are anticipated. A number of environmental mitigation measures are proposed; landscape and drainage proposals have been implemented under the previous Application No.

A/YL-TYST/213 and the implemented landscaping and drainage facilities will be maintained; and no container trailer/tractor will access the Site.

3. Compliance with the “Owner’s Consent/Notification” Requirements

The applicant is not a “current land owner” but has complied with the requirements as set out in the Town Planning Board Guidelines on Satisfying the “Owner’s Consent/Notification” Requirements under Sections 12A and 16 of the Town Planning Ordinance (TPB PG-No. 31A) by posting a notice of the application outside the Site and sending the notice to the Shap Pat Heung Rural Committee through registered post. Detailed information would be deposited at the meeting for Members’ inspection.

4. Town Planning Board Guidelines

The Town Planning Board Guidelines for “Application for Open Storage and Port Back-up Uses” (TPB PG-No.13E) are relevant to the application. The Site falls within Category 1 areas under TPB PG-No.13E promulgated by the Board on 17.10.2008. The relevant extract of the Guidelines is attached at **Appendix II**.

5. Background

The Site is currently not subject to planning enforcement action.

6. Previous Applications

6.1 The Site was involved in five previous applications (No. A/YL-TYST/213, 329, 442, 608, 751) for warehouse uses with/without open storage covering sites of similar extents. Details of the applications are summarised in **Appendix III** and the boundaries of the sites are shown on **Plan A-1b**.

6.2 Applications No. A/YL-TYST/213, 329 and 442 for warehouse for storage of furniture, construction materials/machinery, and household detergent, and Applications No. A/YL-TYST/608 and 751 for the same use as the current application were approved with conditions by the Committee on a temporary basis for 3 years on 29.8.2003, 1.9.2006, 4.9.2009, 21.9.2012 and 4.9.2015 respectively. All the time-limited approval conditions of the last approval (No. A/YL-TYST/751) have been complied with and the planning permission is valid up to 4.9.2018.

6.3 Compared with the last application (No. A/YL-TYST/751), the current application is submitted by the same applicant for the same use on a smaller site with different development parameters.

7. Similar Applications

7.1 A total of 103 similar applications for various types of temporary open storage and/or warehouse uses with/without (ancillary) workshop uses in this part of the “U” zone had been considered by the Committee or the Board on review since the promulgation of TPB PG-No. 13E on 17.10.2008. Details of the applications are

summarized in **Appendix IV** and the locations of the sites are shown on **Plan A-1a**.

- 7.2 There are 99 applications for temporary open storage and/or warehouse uses with/without (ancillary) workshop uses approved mainly on similar considerations that they were generally in line with TPB PG-No. 13E in that the developments were not incompatible with the surrounding open storage/warehouse uses and the concerns of relevant government departments could be addressed by imposing approval conditions. However, amongst these approved applications, 31 were revoked due to non-compliance with approval conditions.
- 7.3 The other 4 applications were rejected mainly on the grounds that, amongst other, that there was no/insufficient information to demonstrate the development would not generate adverse environmental/traffic/drainage/fire safety impacts.

8. The Site and Its Surrounding Areas (Plans A-1a, A-2 to A-4b)

8.1 The Site is:

- (a) accessible via a local track leading from Kung Um Road to its south;
- (b) paved and fenced off; and
- (c) comprises several temporary structures occupied by the applied use with valid planning permission.

8.2 The surrounding areas have the following characteristics:

- (a) predominantly warehouse and open storage yards mixed with scattered residential structures, and vacant and unused land;
- (b) scattered residential structures are found in its vicinity with the nearest one located about 20 m to its south;
- (c) there are a number of warehouses in its vicinity operating under valid planning permission under applications No. A/YL-TYST/752, 754, 801, 806, 879, 889 and 893; and
- (d) except for the warehouses covered by valid planning permissions, the other open storage yards and warehouses in the vicinity are suspected unauthorized developments subject to enforcement action taken by the Planning Authority.

9. Planning Intention

The planning intention of the “U” zone is to cater for the continuing demand for open storage, which cannot be accommodated in conventional godown premises. However, Kung Um Road is insufficient to cater for the heavy goods vehicular traffic from the proposed development. The area is therefore zoned “U” pending further detailed studies on the infrastructural impacts and the preparation of detailed layout plan.

10. Comments from Relevant Government Departments

10.1 The following government departments have been consulted and their views on the application are summarized as follows:

Land Administration

10.1.1 Comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD):

- (a) The Site comprises Old Schedule Agriculture Lots held under Block Government Lease which contains the restriction that no structures are allowed to be erected without the prior approval of the Government.
- (b) Within the Site, Lots No. 1225, 1238, 1239, 1252 in D.D. 119 are currently covered by Short Term Waivers (STWs) No. 3266, 3267, 3268 and 3269 respectively to permit structures erected thereon for the purpose of Warehouse for Storage of Furniture, Construction Materials or Machinery and Household Detergent and Ancillary Use; and Lots No. 1198 S.C and 1226 in D.D. 119 are covered by STWs No. 4527 and 4528 respectively to permit structures erected thereon for the purpose of Temporary Open Storage and Warehouse for Storage of Furniture, Exhibition Materials, Construction Materials/Machinery and Household Detergent.
- (c) The Site is accessible to Kung Um Road via Government Land (GL). Her office does not provide maintenance work for GL involved and does not guarantee any right-of-way over the GL to the Site.
- (d) The Site does not fall within Shek Kong Airfield Height Restriction Area.
- (e) Should planning approval be given to the subject planning application, the STW holder(s) will need to apply to her office for modification of the STW conditions if there is any irregularities on site and the lot owner(s) of the lot(s) without STW will need to apply to her office to permit the structures to be erected or regularize any irregularities on site. Such application(s) will be considered by her department acting in the capacity of the landlord or lessor at its sole discretion and there is no guarantee that such application(s) will be approved. If such application(s) is approved, it will be subject to such terms and conditions, including among others the payment of premium or fee, as may be imposed by her department.

Traffic

10.1.2 Comments of the Commissioner for Transport (C for T):

- (a) No container tractor/trailer should be allowed to park or enter/exit the Site.
- (b) The land status of the access road/path/track leading to the Site from Kung Um Road shall be checked with the lands authority.
- (c) The management and maintenance responsibilities of the access road/path/track shall be clarified and consulted with the relevant management and maintenance authorities accordingly.
- (d) The applicant is reminded that sufficient space should be provided within the Site for manoeuvring of vehicles. In addition, no parking, vehicle queuing and reverse movement of vehicles on public road are allowed.

10.1.3 Comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD):

- (a) The access arrangement should be commented by the Transport Department.
- (b) Adequate drainage measures should be provided at the site access to prevent surface water flowing from the Site to nearby public roads/drains.
- (c) His department shall not be responsible for the maintenance of any access connecting the Site and Kung Um Road.

Environment

10.1.4 Comments of the Director of Environmental Protection (DEP):

- (a) He does not support the application as there are sensitive receivers of residential use in the vicinity (with the nearest one located about 20m to its south) (**Plan A-2**), and environmental nuisance is expected.
- (b) There was no substantiated environmental complaint concerning the Site received in the past 3 years.
- (c) Should the planning application be approved, the applicant should also be advised to follow the relevant mitigation measures and requirements in the “Code of Practice on Handling Environmental Aspects of Temporary Uses and Open Storage Sites”.

Drainage

10.1.5 Comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD):

- (a) Based on the planning statement enclosed in the application, apparently the applicant would maintain the same drainage

facilities as those maintained under the previous planning application No. A/YL-TYST/751.

- (b) In view of the above, he has no objection in principle to the proposed development. Should the Board consider that the application is acceptable from the planning point of view, approval conditions requiring the maintenance of the existing drainage facilities and the submission of records of the existing drainage facilities on site to the satisfaction of the Director of Drainage Services or of the Board should be stipulated.

Fire Safety

10.1.6 Comments of the Director of Fire Services (D of FS):

- (a) He has no objection in principle to the proposal subject to fire service installations (FSIs) being provided to his satisfaction.
- (b) In consideration of the design/nature of the proposal, FSIs are anticipated to be required. Therefore, the applicant is advised to submit relevant layout plans incorporated with the proposed FSIs to his department for approval. The applicant should be advised on the following points:
 - (i) the layout plans should be drawn to scale and depicted with dimensions and nature of occupancy.
 - (ii) the location of where the proposed FSIs to be installed should be clearly marked on the layout plans.
 - (iii) the good practice guidelines for open storage (**Appendix V**) should be adhered to.
- (c) Moreover, having considered the nature of the open storage, an approval condition requiring the provision of fire extinguisher(s) within 6 weeks from the date of planning approval to his satisfaction should be added. To address this approval condition, the applicant should be advised to submit a valid fire certificate (FS 251) to his department for approval.
- (d) However, the applicant is reminded that if the proposed structure(s) is required to comply with the Buildings Ordinance (BO) (Cap. 123), detailed fire service requirements will be formulated upon receipt of formal submission of general building plans.

Building Matters

10.1.7 Comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD):

- (a) As there is no record of approval by the Building Authority (BA) for the existing structure at the Site, he is not in a position to offer

comments on their suitability for the use proposed in the application.

- (b) The applicant's attention is drawn to the following points:
- (i) If the existing structures (not being a New Territories Exempted House) are erected on leased land without the approval of the BD, they are unauthorized building works (UBW) under the BO and should not be designated for any proposed use under the application.
 - (ii) For UBW erected on leased land, enforcement action may be taken by the BD to effect their removal in accordance with BD's enforcement policy against UBW as and when necessary. The granting of planning approval should not be construed as an acceptance of any existing building works or UBW on the Site under the BO.
 - (iii) Before any new building works (including containers/open sheds as temporary buildings and land filling) are to be carried out on the Site, prior approval and consent of the BD should be obtained, otherwise they are UBW. An Authorized Person should be appointed as the co-ordinator for the proposed building works in accordance with the BO.
 - (iv) The Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulation 5 and 41D of the Building (Planning) Regulations (B(P)R) respectively.
 - (v) If the Site does not abut on a specified street of not less than 4.5m wide, its permitted development intensity shall be determined under Regulation 19(3) of B(P)R at the building plan submission stage.

10.1.8 Comments of the Chief Engineer/Cross-Boundary Infrastructure and Development, Planning Department (CE/CID, PlanD):

- (a) CEDD and PlanD jointly commissioned the "Planning and Engineering Study for Housing Sites in Yuen Long South (YLS) – Investigation" (the Study). According to the Recommended Outline Development Plan (RODP) of YLS promulgated on 8.8.2017, the Site falls within areas zoned as "Other Specified Uses" annotated "Mixed Use" ("OU(MU)") and "Local Open Space" ("LO") as well as an area shown as 'Road'.
- (b) The objective of YLS is to transform the degraded rural land predominantly occupied by brownfield operations including open storage yards, warehouses and rural industrial uses into housing and other uses with supporting infrastructure and community facilities, and to improve the existing environment. It is noted

that the application is for temporary use for a period of 3 years. In considering the application for temporary uses, due consideration should be given on the possible implication on land clearance which would affect the future implementation of YLS.

10.1.9 Comments of Project Manager (West), Civil Engineering and Development Department (PM(W), CEDD):

He has no objection to the temporary use for 3 years, which should be considered in accordance with the provisions of the current OZP and existing infrastructure capacities. However, the Site falls within the boundary of YLS Development. According to the Study, to ensure timely and orderly implementation, the development of YLS and relevant site formation and infrastructure works would be implemented in four stages. The lot(s) concerned falls within a site under Stage 3 Works. While the detailed implementation programme for the project is still being formulated, based on the Study, it is envisaged that clearance of the Site in question will not be arranged before the first population intake of the YLS Development expected in 2027.

District Officer's Comments

10.1.10 Comments of the District Officer (Yuen Long), Home Affairs Department (DO(YL), HAD):

The local consultation was completed and his office has not received any comments from the village representatives in the vicinity regarding the application.

10.2 The following government departments have no comment on the application:

- (a) Director of Agriculture, Fisheries and Conservation (DAFC);
- (b) Chief Engineer/Construction, Water Supplies Department (CE/C, WSD);
- (c) Director of Electrical and Mechanical Services (DEMS); and
- (d) Commissioner of Police (C of P).

11. Public Comment Received During the Statutory Publication Period

On 15.6.2018, the application was published for public inspection. During the first three weeks of the statutory public inspection period, which ended on 6.7.2018, one public comment (**Appendix VI**) was received from an organisation raising concern over the hazard of improper storage of household detergent.

12. Planning Considerations and Assessments

12.1 According to TPB PG-No. 13E, the Site falls within Category 1 areas. The following guidelines are relevant:

Category 1 areas are considered suitable for open storage and port back-up uses. Favourable consideration will normally be given to applications within these areas, subject to no major adverse departmental comments and local objections, or

the concerns of the departments and local residents can be addressed through the implementation of approval conditions. Technical assessments should be submitted if the proposed uses may cause significant environmental and traffic concerns.

- 12.2 The application is for temporary open storage and warehouse for storage of furniture, exhibition materials, construction materials/machinery and household detergent at the Site zoned “U” on the OZP. The applied use is not in conflict with the planning intention of the “U” zone on the OZP which is generally intended for open storage use but is designated with this zoning mainly due to concerns of the capacity of Kung Um Road. In this regard, C for T has no adverse comment on the application. Whilst the Site falls within areas zoned as “OU(MU)” and “LO” as well as an area shown as ‘Road’ on the RODP of YLS promulgated on 8.8.2017, CE/CID of PlanD does not raise objection to the application and PM(W) of CEDD has no objection to the proposed temporary use for 3 years. Approval of the application on a temporary basis of 3 years would not jeopardize the long-term development of the area.
- 12.3 The subject “U” zone is mainly occupied by open storage/storage yards, warehouses, workshops, and similar uses are found in the vicinity of the Site. As such, the development is not incompatible with the surrounding uses in the subject “U” zone comprising similar open storage uses.
- 12.4 The application is also generally in line with TPB PG-No. 13E in that the Site falls within Category 1 areas which are considered suitable for open storage and port back-up use; relevant proposals have been submitted to demonstrate that the proposed use would not generate adverse impacts; and the technical concerns of relevant government departments could be addressed through the implementation of approval conditions.
- 12.5 There is no adverse comment on the application from concerned government departments, except DEP. DEP does not support the application as there are sensitive receivers of residential use in the vicinity of the Site, with the nearest one located about 20m to its south (**Plan A-2**), and environmental nuisance is expected. However, there has been no environmental complaint concerning the Site received in the past 3 years. To address the concerns on the possible environmental nuisances generated by the temporary use or to address the technical requirements of other concerned government departments, relevant approval conditions are recommended in paragraph 13.2 below. Any non-compliance with the approval conditions will result in revocation of the planning permission and unauthorized development on the Site will be subject to enforcement action by the Planning Authority. Should the planning application be approved, the applicant will also be advised to follow the relevant mitigation measures and requirements set out in the “Code of Practice on Handling Environmental Aspects of Temporary Uses and Open Storage Sites” in order to minimize any potential environmental impact, and to keep the Site clean and tidy at all times.
- 12.6 Although four applications for similar uses were rejected by the Committee or the Board, five applications for similar uses covering the Site and 99 similar applications for open storage and/or warehouse uses in the vicinity of the Site

were approved by the Committee. Approval of the subject application is considered in line with the Committee's previous decisions.

- 12.7 There is one public comment (**Appendix VI**) received on the application during the statutory publication period raising concern over the application on safety ground. In this regard, it should be noted that D of FS has no objection in principle to the applied development subject to FSIs being provided to his satisfaction.

13. Planning Department's Views

- 13.1 Based on the assessments made in paragraph 12 and having taken into account the public comment mentioned in paragraph 11, the Planning Department considers that the temporary open storage and warehouse for storage of furniture, exhibition materials, construction materials/machinery and household detergent could be tolerated for a period of 3 years.
- 13.2 Should the Committee decide to approve the application, it is suggested that the permission shall be valid on a temporary basis for a period of 3 years until 3.8.2021. The following conditions of approval and advisory clauses are also suggested for Members' reference:

Approval conditions

- (a) no operation between 7:00 p.m. and 7:00 a.m., as proposed by the applicant, is allowed on the Site during the planning approval period;
- (b) no operation on Sundays and public holidays, as proposed by the applicant, is allowed on the Site during the planning approval period;
- (c) no plastic waste, electronic waste and used electrical appliances, as proposed by the applicant, are allowed to be stored on the site at any time during the planning approval period;
- (d) no repairing, dismantling and workshop activities, as proposed by the applicant, are allowed on the site at any time during the planning approval period;
- (e) no container tractor/trailer, as defined in the Road Traffic Ordinance is allowed to be parked/stored on or enter/exit the Site, as proposed by the applicant, at any time during the planning approval period;
- (f) no vehicle is allowed to queue back to or reverse onto/from public road at any time during the planning approval period;
- (g) the existing trees and landscape planting on the Site shall be maintained at all times during the planning approval period;
- (h) the existing drainage facilities on the Site shall be maintained at all times during the planning approval period;
- (i) the submission of a condition record of the existing drainage facilities on the Site within **3** months from the date of planning approval to the

satisfaction of the Director of Drainage Services or of the Town Planning Board by 3.11.2018;

- (j) the provision of fire extinguisher(s) with valid fire certificate (FS 251) within **6 weeks** from the date of planning approval to the satisfaction of the Director of Fire Services or of the Town Planning Board by 14.9.2018;
- (k) the submission of a fire service installations proposal within **6 months** from the date of planning approval to the satisfaction of the Director of Fire Services or of the Town Planning Board by 3.2.2019;
- (l) in relation to (k) above, the implementation of the fire service installations proposal within **9 months** from the date of planning approval to the satisfaction of the Director of Fire Services or of the Town Planning Board by 3.5.2019;
- (m) if any of the above planning conditions (a), (b), (c), (d), (e), (f), (g) or (h) is not complied with during the planning approval period, the approval hereby given shall cease to have effect and shall be revoked immediately without further notice;
- (n) if any of the above planning conditions (i), (j), (k) or (l) is not complied with by the specified date, the approval hereby given shall cease to have effect and shall on the same date be revoked without further notice; and
- (o) upon the expiry of the planning permission, the reinstatement of the Site to an amenity area to the satisfaction of the Director of Planning or of the Town Planning Board.

Advisory clauses

The recommended advisory clauses are at **Appendix VII**.

- 13.3 Alternatively, should the Committee decide to reject the application, the following reason for rejection is suggested for Members' reference:

the applicant fails to demonstrate that the proposed development would not generate adverse environmental impact on the surrounding areas.

14. Decision Sought

- 14.1 The Committee is invited to consider the application and decide whether to grant or refuse to grant permission.
- 14.2 Should the Committee decide to approve the application, Members are invited to consider the approval condition(s) and advisory clause(s), if any, to be attached to the permission, and the period of which the permission should be valid on a temporary basis.
- 14.3 Alternatively, should the Committee decide to reject the application, Members are invited to advise what reason(s) for rejection should be given to the applicant.

15. Attachments

Appendix I	Application Form received on 6.6.2018
Appendix Ia	Supplementary Planning Statement
Appendix Ib	Further Information dated 19.7.2018 undertaking no storage of plastic waste, electronic waste and used electrical appliances
Appendix II	Relevant extract of the Town Planning Board Guidelines for Application for Open Storage and Port Back-up Uses (TPB PG-No.13E)
Appendix III	Previous Applications covering the Site
Appendix IV	Similar applications in this part of the “U” zone on the OZP since the promulgation of TPB PG-NO. 13E
Appendix V	The Good Practice Guidelines for Open Storage Sites
Appendix VI	Public comment received during statutory publication period
Appendix VII	Recommended advisory clauses
Drawing A-1	Location Plan with Vehicular Access
Drawing A-2	Layout Plan
Drawing A-3	Tree Preservation Plan
Drawing A-4	As-Built Drainage Plan
Plan A-1a	Location Plan with Similar Applications
Plan A-1b	Previous Applications Plan
Plan A-2	Site Plan
Plan A-3	Aerial Photo
Plans A-4a and A-4b	Site Photos

**PLANNING DEPARTMENT
AUGUST 2018**