




Predicted Road Traffic Noise (L10, dB(A)) at Representative Noise Assessment Points (NAPs)  
Mitigated Case

T1																															
Floor	mPD	N1-01	N1-02	N1-03	N1-04	N1-05	N1-06	N1-07	N1-08	N1-09	N1-10	N1-11	N1-12	N1-13	N1-14	N1-15	N1-16	N1-17	N1-18	N1-19	N1-20	N1-21	N1-22	N1-23	N1-24	N1-25	N1-26	N1-27	N1-28	N1-29	N1-30
1	21.1	66	69	69	69	70	67	66	68	68	67	67	70	70	67	68	70	67	63	57	55	54	54	53	53	52	51	51	50	49	45
2	24.2	66	69	69	68	69	66	67	69	69	67	67	69	69	67	67	70	67	64	57	56	55	54	54	53	53	52	52	51	51	47
3	27.3	65	69	68	68	69	66	66	69	69	67	67	69	69	67	67	69	67	64	57	56	55	55	54	54	53	53	52	52	51	47
4	30.4	65	68	68	68	68	65	66	69	69	66	66	69	69	66	66	69	66	64	57	56	56	55	54	54	53	53	53	52	52	48
5	33.5	65	68	67	67	68	65	66	68	68	66	66	68	68	66	66	68	70	63	57	56	56	55	55	54	54	53	53	53	52	48
6	36.6	64	67	67	70	68	64	65	68	68	66	66	68	68	66	66	68	70	63	57	56	56	55	55	54	54	53	53	53	52	48
7	39.7	64	67	70	70	67	64	65	68	68	65	65	68	68	65	65	68	70	63	57	56	56	55	55	54	54	54	53	53	53	49
8	42.8	64	67	70	70	67	64	65	67	67	65	65	67	67	65	65	67	70	63	57	56	56	55	55	54	54	54	53	53	53	49
9	45.9	63	66	70	69	67	64	64	67	67	65	65	67	67	65	65	67	69	63	57	56	56	55	55	54	54	54	53	53	53	49
10	49	63	66	69	69	66	63	64	67	67	64	64	67	67	64	64	67	69	63	57	56	56	55	55	54	54	54	53	53	53	49
11	52.1	63	66	69	69	66	63	70	67	66	64	64	66	66	64	64	67	69	62	57	56	55	55	55	54	54	54	53	53	53	49
12	55.2	63	66	69	69	66	63	70	66	66	64	64	66	66	64	64	66	69	62	57	56	55	55	54	54	54	53	53	53	53	48
13	58.3	70	70	69	68	70	70	70	70	70	70	70	70	70	70	70	70	68	62	57	56	55	55	54	54	54	53	53	53	53	48
14	61.4	70	70	68	68	70	70	70	70	70	70	70	70	70	70	70	70	68	62	56	56	55	55	54	54	54	53	53	53	53	48
15	64.5	70	70	68	68	70	70	70	70	70	70	70	70	70	70	70	70	68	62	56	55	55	54	54	54	53	53	53	53	53	48
16	67.6	70	70	68	68	70	70	69	70	70	70	70	70	70	70	70	70	68	62	56	55	55	54	54	54	53	53	53	53	52	48
17	70.7	69	70	68	68	70	70	69	70	70	70	70	70	70	70	70	70	68	62	56	55	55	54	54	54	53	53	53	53	52	48
18	73.8	69	69	68	67	69	69	69	69	69	69	69	69	69	69	69	70	67	61	56	55	55	54	54	53	53	53	53	52	52	48
19	76.9	69	69	67	67	69	69	69	69	69	69	69	69	69	69	69	69	67	61	56	55	54	54	54	53	53	53	53	52	52	48
20	80.3	69	69	67	67	69	69	69	69	69	69	69	69	69	69	69	69	67	61	56	55	54	54	54	53	53	53	52	52	52	48
21	83.45	69	69	67	67	69	69	68	69	69	69	69	69	69	69	69	69	67	61	56	55	54	54	53	53	53	53	52	52	52	48
22	86.6	69	69	67	67	69	69	68	69	69	69	69	69	69	69	69	69	67	61	55	55	54	54	53	53	53	53	52	52	52	48
23	89.75	68	68	67	67	69	69	68	69	69	69	69	69	69	69	69	69	67	61	55	54	54	54	53	53	53	52	52	52	52	48
24	92.9	68	68	67	67	69	69	68	69	69	69	69	69	69	69	69	69	67	61	55	54	54	53	53	53	52	52	52	52	52	48
25	96.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67	61	55	54	-	-	-	-	-	52	52	52	48	
Max		70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	64	57	56	56	55	55	54	54	54	53	53	53	49
Exceedance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

T2													
Floor	mPD	N2-01	N2-02	N2-03	N2-04	N2-05	N2-06	N2-07	N2-08	N2-09	N2-10	N2-11	N2-12
1	21.1	53	53	53	54	55	55	56	52	52	51	51	50
2	24.2	55	56	56	56	57	57	57	54	53	53	52	51
3	27.3	56	57	57	57	57	58	58	54	54	54	53	52
4	30.4	57	57	57	58	58	58	58	55	54	54	53	52
5	33.5	57	58	58	58	58	58	58	55	54	54	53	53
6	36.6	58	58	58	58	58	58	59	55	55	54	53	53
7	39.7	58	58	58	58	58	58	59	55	55	54	54	53
8	42.8	58	58	58	58	58	59	59	55	55	54	54	53
9	45.9	58	58	58	58	58	58	59	55	55	54	54	53
10	49	58	58	58	58	58	58	58	55	55	54	54	53
11	52.1	58	58	58	58	58	58	58	55	55	54	54	53
12	55.2	58	58	58	58	58	58	58	55	55	54	54	53
13	58.3	58	58	58	58	58	58	58	55	55	54	54	53
14	61.4	58	58	58	58	58	58	58	55	54	54	54	53
15	64.5	58	58	58	58	58	58	58	55	54	54	53	53
16	67.6	57	58	58	58	58	58	58	55	54	54	53	53
17	70.7	57	57	58	58	58	58	58	54	54	54	53	53
18	73.8	57	57	57	58	58	58	58	54	54	54	53	53
19	76.9	57	57	57	57	58	58	58	54	54	54	53	53
Max		58	58	58	58	58	59	59	55	55	54	54	53
Exceedance		0	0	0	0	0	0	0	0	0	0	0	0

No. of Units:	342
No. of Units with Exceedance:	0
Compliance Level:	100%
Max. Noise Level:	70

Noted:  
 Noise level exceed standard of 70 dB(A)  
 Enhanced Acoustic Baclony (Baffle Type)- EPD PN  
 Acoustic Window (Baffle Type)- EPD PN