Appendix I



Our Ref.: DD113 Lot 1013 & VL Your Ref.: TPB/A/YL-KTS/1011

The Secretary, Town Planning Board, 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong



<u>By Email</u>

13 January 2025

Dear Sir,

2<sup>nd</sup> Further Information

Proposed Temporary Place of Recreation, Sports or Culture (Hobby Farm and Fishing Ground), Barbecue Site and Education Centre with Ancillary Eating Place for a Period of 3 Years and Associated Filling of Land in "Agriculture" Zone, <u>Various Lots in D.D. 113, Kam Tin, Yuen Long, New Territories</u>

### (S.16 Planning Application No. A/YL-KTS/1011)

We are writing to submit Further Information to address departmental comments of the subject application (**Appendix I**).

Should you require more information regarding the application, please contact our or the undersigned at your convenience.

Thank you for your kind attention.

Yours faithfully,

For and on behalf of R-riches Property Consultants Limited

Louis TSE Town Planner

(Attn.: Ms. Selena SIN (Attn.: Mr. Michael SO )

)

# **Responses-to-Comments**

# Proposed Temporary Place of Recreation, Sports or Culture (Hobby Farm and Fishing Ground), Barbecue Site and Education Centre with Ancillary Eating Place for a Period of 3 Years and Associated Filling of Land in "Agriculture" Zone, <u>Various Lots in D.D. 113, Kam Tin, Yuen Long, New Territories</u>

# (Application No. A/YL-KTS/1011)

(i) A RtoC Table:

	Departmental Comments	Applicant's Responses				
1. 0	Comments of District Lands Officer/Yuen Lon	ıg, Lands Department (DLO/YL, LandsD)				
(a)	It is noted that there is an additional structure on the layout plan on page 20, which differs from the original layout plan. Please clarify the layout plan.	Noted and revised. Please refer to the attached layout plan ( <b>Plan 1</b> ).				
2. (	Comments of Director of Fire Services (D of F	S)				
(	Contact Person: Mr. YUEN; Tel: 2733 7781)					
(a)	The standards and specification of the proposed emergency lighting shall be revised to 'BS 5266-1:2016, BS EN 1838:2013 and the FSD Circular Letter No. 4/2021';	Noted and revised accordingly. Please refer to the revised fire service installations proposal (Annex I).				
(b)	The total floor area and occupancies of structure B11 shall be clearly stated on plan; and					
(c)	Structures on the same site are regarded as adjoining structures if they are less than 1.8m apart. Additional FSIs (i.e. sprinkler system, modified hose reel system and fire alarm system) shall be provided for Structures B6, B7 & B8 as the total floor areas exceeds 230m <sup>2</sup> .					
3. 0	Comments of the Antiquities and Monument	s Office, Development Bureau (AMO, DEVB)				
(a)	The applicant is required to confirm / clarify with the Antiquities and Monuments Office (AMO) whether there is any ground excavation proposed for the development including but not limited to	Please note that the proposed pond for fishing is provided at-grade with no excavation involved. Excavation work is also not required for erection of structures at the application site (the Site). Regarding the construction method				



	site formation works, drainage works, sewerage works, construction of septic tank etc, as the application is situated within the Ho Pui Site of Archaeological Interest; and	of structures, details are provided at <b>Annex II</b> . As the proposed development is only on a temporary basis and involves no excavation work, adverse impact to Ho Pui Site of Archaeological Interest should not be anticipated.
(b)	If affirmative, the applicant is required to provide details of the proposed works, e.g. the location, extent and depth of the proposed ground excavation for AMO's further comment.	



DEVELOPMENT PARAMETERS		
APPLICATION SITE AREA COVERED AREA UNCOVERED AREA	: 5,381 m <sup>2</sup> : 950 m <sup>2</sup> : 4,431 m <sup>2</sup>	(ABOUT) (ABOUT) (ABOUT)
PLOT RATIO SITE COVERAGE	: 0.2 : 18 %	(ABOUT) (ABOUT)
NO. OF STRUCTURE DOMESTIC GFA NON-DOMESTIC GFA TOTAL GFA	: 10 : NOT APP : 1,060 m <sup>2</sup> : 1,060 m <sup>2</sup>	LICABLE (ABOUT) (ABOUT)
BUILDING HEIGHT NO. OF STOREY	: 3m - 6m : 1 - 2	(ABOUT)

	STRUCTURE	USE	COVERED AREA	GFA	BUILDING HEIGHT	NO	RTH
	B1 B2 B3 B4 B5	AGRICULTURAL EDUCATION CENTRE AGR. ACTIVITIES ROOM WITH RAIN SHELTER AGR. ACTIVITIES ROOM WITH RAIN SHELTER REFRESHMENT KIOSK AND STORAGE OF TOOLS AGR. ACTIVITIES ROOM WITH RAIN SHELTER	220m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 55m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT)	220m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 110m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT)	6m (ABOUT)(1-STOREY) 3m (ABOUT)(1-STOREY) 3m (ABOUT)(1-STOREY) 6m (ABOUT)(2-STOREY) 3m (ABOUT)(1-STOREY)	~	
	B6 B7 B8 B9 B10	AGR. ACTIVITIES ROOM WITH RAIN SHELTER AGR. ACTIVITIES ROOM WITH RAIN SHELTER BARBEQUE AREA WITH RAIN SHELTER SITE OFFICE AND STORAGE OF TOOLS ANCILLARY EATING PLACE, WASHROOM AND CHANGING ROOM	36m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 220m <sup>2</sup> (ABOUT) 55m <sup>2</sup> (ABOUT) 220m <sup>2</sup> (ABOUT)	36m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 220m <sup>2</sup> (ABOUT) 110m <sup>2</sup> (ABOUT) 220m <sup>2</sup> (ABOUT)	3m (ABOUT)(1-STOREY) 3m (ABOUT)(1-STOREY) 6m (ABOUT)(1-STOREY) 6m (ABOUT)(2-STOREY) 6m (ABOUT)(1-STOREY)		0
-		TOTAL	950 m <sup>2</sup> (ABOUT)	1,060 m <sup>2</sup> (ABOUT)			
3m (	HOBBY FARM AREA HOBBS FARM AREA		INGRESS / EGRESS 5m (ABOUT)(W)	LEGEND		CONSULTAI PROPOSED TEI OF RECREATIO CULTURE (HO FISHING GROU SITE, EDUCATION SITE LOCATION	PROPERTY NTS LIMITED MPORARY PLACE DN, SPORTS OR BBY FARM AND IND), BARBECUE DN CENTRE WITH TING PLACE FOR 3 YEARS AND
X 2.5m (W)					APPLICATION SITE	MN REVISED BY MN	11.5.2022 DATE 21.7.2022
X 3.5m (W)				2 3	STRUCTURE (ENCLOSED) STRUCTURE (CANOPY)	APPROVED BY	DATE
		$\sim$			PARKING SPACE	DWG. TITLE	

#### PARKING AND LOADING/UNLOADING PROVISIONS

NO. OF PRIVATE CAR PARKING SPACE	: 11
DIMENSION OF PARKING SPACE	: 5m (L) X 2.5m (W)
NO. OF L/UL SPACE FOR LIGHT GOODS VEHICLE	: 1
DIMENSION OF L/UL SPACE	: 7m (L) X 3.5m (W)
NO. OF L/UL SPACE FOR LIGHT BUS	: 1
DIMENSION OF L/UL SPACE	: 8m (L) X 3m (W)



LAYOUT PLAN

DWG NO.

Plan 1

LOADING / UNLOADING SPACE

VER.

001

DEVELOPMENT PARAMETERS	STRUCTUR	E USE	COVERED	GFA	BUILDING HEIGHT	NORTH
APPLICATION SITE AREA         : 5,381 m²         (ABOUT)           COVERED AREA         : 950 m²         (ABOUT)           UNCOVERED AREA         : 4,431 m²         (ABOUT)           PLOT RATIO         : 0.2         (ABOUT)           SITE COVERAGE         : 18 %         (ABOUT)	B1 B2 B3 B4 B5	AGRICULTURAL EDUCATION CENTRE AGR. ACTIVITIES ROOM WITH RAIN SHELTER AGR. ACTIVITIES ROOM WITH RAIN SHELTER REFRESHMENT KIOSK AND STORAGE OF TOOLS AGR. ACTIVITIES ROOM WITH RAIN SHELTER	220m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 55m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT)	220m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 110m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT)	6m (ABOUT)(1-STOREY) 3m (ABOUT)(1-STOREY) 3m (ABOUT)(1-STOREY) 6m (ABOUT)(2-STOREY) 3m (ABOUT)(1-STOREY)	W
NO. OF STRUCTURE         : 10         . 10         . (ABOUT)           DOMESTIC GFA         : NOT APPLICABLE         . NON-DOMESTIC GFA         : 1,060 m <sup>2</sup> (ABOUT)           TOTAL GFA         : 1,060 m <sup>2</sup> (ABOUT)	B6 B7 B8 B9 B10	AGR. ACTIVITIES ROOM WITH RAIN SHELTER AGR. ACTIVITIES ROOM WITH RAIN SHELTER BARBEQUE AREA WITH RAIN SHELTER SITE OFFICE AND STORAGE OF TOOLS ANCILLARY EATING PLACE, WASHROOM AND CHANGING RC	36m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 220m <sup>2</sup> (ABOUT) 55m <sup>2</sup> (ABOUT)	36m <sup>2</sup> (ABOUT) 36m <sup>2</sup> (ABOUT) 220m <sup>2</sup> (ABOUT) 110m <sup>2</sup> (ABOUT) 220m <sup>2</sup> (ABOUT)	3m (ABOUT)(1-STOREY) 3m (ABOUT)(1-STOREY) 6m (ABOUT)(1-STOREY) 6m (ABOUT)(2-STOREY) 6m (ABOUT)(1-STOREY)	S
BUILDING HEIGHT         : 3m - 6m         (ABOUT)           NO. OF STOREY         : 1 - 2			OTAL 950 m <sup>2</sup> (ABOUT)	1,060 m <sup>2</sup> (ABOUT)		
PARKING AND LOADING/UNLOADING PROVISIONS						
NO. OF PRIVATE CAR PARKING SPACE : 11 DIMENSION OF PARKING SPACE : 5m (L) X 2.5m (W) NO. OF L/UL SPACE FOR LIGHT GOODS VEHICLE : 1 DIMENSION OF L/UL SPACE : 7m (L) X 3.5m (W) NO. OF L/UL SPACE FOR LIGHT BUS : 1 DIMENSION OF L/UL SPACE : 8m (L) X 3m (W)		HOBBY FARM AREA HOBBY FARM AREA HOBBY FARM AREA HOBBY FARM AREA HOBBY FARM AREA HOBBY FARM AREA HOBBY FARM AREA			RESS / EGRESS (ABOUT)(W)	PLANNING CONSULTANT R-RICHES PROPERTY CONSULTANTS LIMITED PROJECT PROPOSED TEMPORARY PLACE
FIRE SERVICE INSTALLATIONS          EXIT       EXIT SIGN AND EMERGENCY LIGHT         EXIT       4.5 KG GAS-TYPE FIRE EXTINGUISHER		POND FOR FISHING	HOBB FARM AREA		PLICATION SITE	OF RECREATION, SPORTS OR CULTURE (HOBBY FARM AND FISHING GROUND), BARBECUE SITE, EDUCATION CENTRE WITH ANCILLARY EATING PLACE FOR A PERIOD OF 3 YEARS AND LAND FILLING SITE LOCATION VARIOUS LOTS IN D.D. 113, KAM TIN, YUEN LONG, NEW
FS NOTES: 1. SUFFICIENT EMERGENCY LIGHTING SHALL BE PROVIDED THROUGHOUT THE ENTIRE BUILDING IN ACCORDANCE WITH BS5266: PART1 AND BS EN1838	SCALE 1:500		B10			TERRITORIES
<ol> <li>SUFFICIENT DIRECTIONAL AND EXIT SIGN SHALL BE PROVIDED IN ACCORDANCE WITH BS5266: PART 1 AND FSD CIRCULAR LETTER 5/2008.</li> <li>PORTABLE HAND-OPERATED APPROVED APPLIANCE SHALL BE PROVIDED AS REQUIRED BY OCCUPANCY.</li> <li>ACCESS IS PROVIDED FOR EMERGENCY VEHICLE TO REACH 30m OF ALL PART OF STRUCTURES.</li> </ol>		ENTRANCE / EXIT 3m (ABOUT)(W)			APPLICATION SITE STRUCTURE (ENCLOSED) STRUCTURE (CANOPY) PARKING SPACE LOADING / UNLOADING SPACE INGRESS / EGRESS	SCALE           1:800 @ A4           DRAWN BY         DATE           OL         27.2.2023           REVISED BY         DATE           LT         29.11.2024           APPROVED BY         DATE           DWG. TITLE         FSIs PROPOSAL           DWG NO:         VER:           ANNEX I         001

### Annex II – Construction Method of Proposed Structures

(i) Majority of structures are container-converted structures, while the remaining are steel-frame structures with no foundation (i.e. excavation work is <u>not</u> required), details are as follows:

Structure	Proposed Use	Construction Method	
B1	Agricultural Education Centre	Steel-frame structure with no foundation will be assembled at the Site	
B2	Agricultural Activities Room with Rain Shelter	Container-converted structure	
В3	Agricultural Activities Room with Rain Shelter	Container-converted structure	
В4	Refreshment Kiosk and Storage of Tools	Steel-frame structure with no foundation, will be assembled at the Site	
в5	Agricultural Activities Room with Rain Shelter	Container-converted structure	
В6	Agricultural Activities Room with Rain Shelter	Container-converted structure	
В7	Agricultural Activities Room with Rain Shelter	Container-converted structure	
B8	Barbeque Area with Rain Shelter	Steel-frame shed structure with no foundation, will be assembled at the Site	
в9	Site Office and Storage of Tools	Steel-frame structure with no foundation, will be assembled at the Site	
B10	Ancillary Eating Place, Washroom and Changing Room	Steel-frame structure with no foundation, will be assembled at the Site	

