Total: 3 pages

Date: 29 November 2024

TPB Ref.: A/YL-TYST/1289

Town Planning Board 15/F, North Point Government Offices 333, Java Road North Point Hong Kong (Attn: The Secretary)

Dear Sir,

Proposed Temporary Public Vehicle Park for Private Car for a Period of 3 Years at Lot 1652 RP (Part) in D.D. 121, Shan Ha Tsuen, Yuen Long, N.T.


In response to the comments of the DLO/YL, the applicant is glad to submit short term waiver application to DLO/YL to regularize the temporary structures on site upon planning approval.

Our response to the comments of the Transport Department is as follows:

Transport Department's comm	nente	Applicant's response
1. There are two access point		The applicant would make use of the 4m
for the subject applicati	on (i.e. 4m	wide at the west of the site to access the
wide at the West of the si	te and 4.5m	application site. In response to the
wide at the East of the	site). The	request of the adjoining lot owners, the
applicant should clarify	the traffic	4.5m wide at the East of the site is
arrangement for the subj	ect planning	reserved for the passage of vehicle from
application.		the west to pass through the application
		site.
2. The width of the last se	ssion of the	The applicant has made use of the
vehicular access is nat	row. The	existing vehicular access leading from the
applicant should demo	onstrate the	western ingress/egress since a couple of
proposed access road is s	ufficient for	years ago and it is demonstrated that the
manoeuvring of vehicles.		vehicular access is sufficient for the
		passage of private car leading to the
		application site. The applicant wishes to
		submit a swept path analysis showing that
		the vehicular access is sufficient for the
		passage of private car in the attachment.

By Email

Should you have any questions, please feel free to contact the undersigned at



c.c. Tuen Mun and Yuen Long West District Planning Office (Attn: Mr. Edwin YEUNG) – By Email

